

## Identification\_Information:

### Citation:

#### Citation\_Information:

Originator: U.S. Geological Survey

Publication\_Date: 20070901

Title: Purdy Fire of Bridger-Teton National Forest and Shoshone National Forest - 2006

Geospatial\_Data\_Presentation\_Form:

Raster digital data.

Vector data are also available as ArcView Shape Files.

Publication\_Information:

Publication\_Place: Sioux Falls, South Dakota USA

Publisher: U.S. Geological Survey

Online\_Linkage: <http://edc.usgs.gov>

### Description:

#### Abstract:

The U.S. Geological Survey (USGS) has entered into a cooperative agreement with the National Park Service (NPS) to deliver satellite imagery and derivative products centered on major fires that impact national parks and other federal lands. This data set was compiled at the request of a federal land management agency and is part of a suite of products generated for a specific fire.

See the National Burn Severity Mapping web site at:

[http://edc2.usgs.gov/fsp/severity/fire\\_main.asp](http://edc2.usgs.gov/fsp/severity/fire_main.asp)

#### Purpose:

The purpose of this project is to develop a robust mapping methodology and consistent data products that allow federal land managers and fire ecologists to evaluate and compare burn severity within individual fires and between fires across various ecosystems. These products will help land managers to more effectively plan, implement and monitor fire recovery activities.

### Supplemental\_Information:

Fire Name: Purdy

Agency: US Forest Service

Land Management Units: Bridger-Teton National Forest, Shoshone National Forest

Date of Fires: 8/5/2006

Type of assessment: Extended

Acres within Fire Perimeter: 20040

Landsat Path and Row: 38/30

Pre-Fire Landsat Date/Scene ID:

Landsat 5; Aug. 1, 2003/LT5038030000321310

Post-Fire Landsat Date/Scene ID:

Landsat 5; Aug. 12, 2007/LT5038030000722410

Output Dataset Projection: UTM

UTM Zone: 12

Datum Name: NAD83

Spheroid Name: GRS80

Image subsets Corner Coordinate (center of upper left pixel, projection meters)

ULX: 564690 LRX: 590910

ULY: 4835070 LRY: 4808310

Image subset size:

#Rows: 893

#Columns: 875

Pixel size: 30 meters

Bounding Box:

North Lat: 43 39 55 N

South Lat: 43 25 25 N

East Long: 109 52 31 W

West Long: 110 11 58 W

Latitude and Longitude within Fire Perimeter

Lat: 43 33 20 N

Long: 110 02 01 W

Fire Perimeter: Digitized from Landsat imagery, following park-provided perimeters in areas of very low severity.

For further information on NLAPS and Landsat TM data, please refer to the metadata documentation found on the USGS Clearinghouse website at:

<http://www.fgdc.gov/clearinghouse/clearinghouse.html>

Product List:

purd06b\_pretm.tif

August/2003 Pre-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

purd06b\_postm.tif

August/2007 Post-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

purd06b\_dnbr

Differenced Normalized Burn Ratio (DNBR) subset (signed 16 bit ArcInfo GRID)

purd06b\_pi

Fire Perimeter (shape file)

purd06b\_hist.xls

DNBR pixel count within the fire perimeter (excel file)

d383008030807

08/03 - 08/07 Full Scene DNBR for Path Row 38/30 (signed 16 bit ArcInfo GRID)

Also See the Burn Severity Website:

[http://burnseverity.cr.usgs.gov/fire\\_main.asp](http://burnseverity.cr.usgs.gov/fire_main.asp)

Questions Please Contact:

Stephen Howard

605 594 6027

[smhoward@usgs.gov](mailto:smhoward@usgs.gov)

Time\_Period\_of\_Content:

Time\_Period\_Information:

Multiple\_Dates/Times:

Single\_Date/Time:

Calendar\_Date: 20030801 (pre-fire image)

Single\_Date/Time:

Calendar\_Date: 20060805 (date fire began)

Single\_Date/Time:

Calendar\_Date: 20070812 (post-fire image)

Currentness\_Reference: ground condition

Status:

Progress: Complete

Maintenance\_and\_Update\_Frequency: as needed

Spatial\_Domain:

Bounding\_Coordinates:

West\_Bounding\_Coordinate: -110.11.58

East\_Bounding\_Coordinate: -109.52.31

North\_Bounding\_Coordinate: 43.39.55

South\_Bounding\_Coordinate: 43.25.25

Keywords:

Theme:

Theme\_Keyword\_Thesaurus: none

Theme\_Keyword: burn mapping

Theme\_Keyword: imagery

Theme\_Keyword: fire

Theme\_Keyword: Landsat

Theme\_Keyword: US Forest Service

Place:

Place\_Keyword\_Thesaurus: none

Place\_Keyword: Bridger-Teton National Forest

Place\_Keyword: Shoshone National Forest

Place\_Keyword: Purdy

Place\_Keyword: Wyoming

Access\_Constraints: FTP data sets are available to any user.

Use\_Constraints: There are no restrictions on use, except for reasonable and proper acknowledgement of information sources.

Point\_of\_Contact:

Contact\_Information:

+001 605-594-6151 or (USA) 800-252-4547

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position: CSR

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_Address:

Address\_Type: physical and mailing address

Address: 47914 252nd Street

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Data\_Set\_Credit: USGS and NASA

Native\_Data\_Set\_Environment: Oracle, ERDAS Imagine, & ArcInfo

Data\_Quality\_Information:

Attribute\_Accuracy:

Attribute\_Accuracy\_Report:

Three on-board calibrators (two solar, one internal) provide an absolute accuracy of 5 percent, excluding band 6.

Logical\_Consistency\_Report:

These Landsat data are collected from a nominal altitude of 705 kilometers in a near-polar, near-circular, sun-synchronous orbit at an inclination of 98.2 degrees, imaging the same 183-km swath of Earth's surface every 16 days.

The pixels representing the bands for the image are in the data set only once.

Completeness\_Report: Fire perimeter was automated, (seed value 425, distance 325) with manual edits.

Positional\_Accuracy:

Horizontal\_Positional\_Accuracy:

Horizontal\_Positional\_Accuracy\_Report:

Energy reflected from Earth's surface passes through a whisk-broom scanning system and all-reflective optics before being collected by the solid-state detectors at the focal plane.

Lineage:

Process\_Step:

Process\_Description:

These data products are derived from Landsat Thematic Mapper data.

A pre-fire scene and a post-fire scene are analyzed to create a Differenced Normalized Burn Ratio (DNBR) image. The DNBR image portrays the variations of burn severity within the fire.

The Landsat images are terrain corrected and geometrically rectified to an Albers Conical Equal Area map projection using the National Landsat Archive Production System (NLAPS). The images are further processed to convert bands 1-5 and 7 to at-satellite-reflectance.

The Normalized Burn Ratio (NBR) is computed for each date of imagery using the following formula:

$$(\text{Band 4} - \text{Band 7}) / (\text{Band 4} + \text{Band 7}) = \text{NBR}$$

The differenced NBR is computed by subtracting the post-fire NBR from the pre-fire NBR:

$$\text{PreNBR} - \text{PostNBR} = \text{DNBR}$$

Higher DNBR values are correlated with more severe burns. The DNBR image is evaluated to determine the threshold value between burned and unburned areas. The perimeter of the fire is delineated using the DNBR image. The DNBR image, the pre-fire and post-fire TM images, and a fire perimeter vector file are provided in digital format in the map projection used by the National Park Service.

Source\_Used\_Citation\_Abbreviation: TM

Process\_Date: 200708

Source\_Produced\_Citation\_Abbreviation: DNBR

Cloud\_Cover: 10

Distribution\_Information:

Distributor:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

USGS EROS

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605 594-6933

Contact\_Facsimile\_Telephone: +001 605 594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Distribution\_Liability:

No warranty expressed or implied is made by the USGS regarding the use of the data, nor does the act of distribution constitute any such warranty.

Standard\_Order\_Process:

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: Geo-TIFF

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: DNBR ArcInfo GRID

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: shape file

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Fees: No charge

Ordering\_Instructions: <http://edc2.usgs.gov/fsp/severity/help.asp#ordering>

Turnaround: same day

Metadata\_Reference\_Information:

Metadata\_Date: 20070904

Metadata\_Contact:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization:

USGS EROS

Science & Applications Branch

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

USGS EROS

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: [fsehc@usgs.gov](mailto:fsehc@usgs.gov)

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Metadata\_Standard\_Name: Content Standard for Digital Geospatial Metadata

Metadata\_Standard\_Version: FGDC-STD-001-1998

Metadata\_Access\_Constraints: none

Metadata\_Use\_Constraints: none