

Identification\_Information:

Citation:

Citation\_Information:

Originator: U.S. Geological Survey

Publication\_Date: 20060701

Title: Chilton, Chilton South, Stegall Mountain, Pole Cat Hollow Fires  
of Ozark National Scenic Riverways & Mark Twain National Forest - 2006

Geospatial\_Data\_Presentation\_Form:

Raster digital data.

Vector data are also available as ArcView Shape Files.

Publication\_Information:

Publication\_Place: Sioux Falls, South Dakota USA

Publisher: U.S. Geological Survey

Online\_Linkage: <http://edc.usgs.gov>

Description:

Abstract:

The U.S. Geological Survey (USGS) has entered into a cooperative agreement with the National Park Service (NPS) to deliver satellite imagery and derivative products centered on major fires that impact national parks and other federal lands. This data set was compiled at the request of a federal land management agency and is part of a suite of products generated for a specific fire.

See the National Burn Severity Mapping web site at:

[http://edc2.usgs.gov/fsp/severity/fire\\_main.asp](http://edc2.usgs.gov/fsp/severity/fire_main.asp)

Purpose:

The purpose of this project is to develop a robust mapping methodology and consistent data products that allow federal land managers and fire ecologists to evaluate and compare burn severity within individual fires and between fires across various ecosystems. These products will help land managers to more effectively plan, implement and monitor fire recovery activities.

Supplemental\_Information:

Fire Names: Chilton, Chilton South, Stegall Mountain, Pole Cat Hollow (Mark Twain National Forest)

Agency: National Park Service

Land Management Units: Ozark National Scenic Riverways & Mark Twain National Forest

Dates of Fires:

Chilton: 4/4/2006

Chilton South: Unknown

Stegall Mountain: 2/28/2006

Pole Cat Hollow (Mark Twain National Forest): 3/3/2006

Type of assessment: Extended Assessment

Acres within Fire Perimeter:

Chilton: 830

Chilton South: 490

Stegall Mountain: 1340

Pole Cat Hollow (Mark Twain National Forest): 1500

Landsat Path and Row: 24/34

Pre-Fire Landsat Date/Scene ID:

Landsat 5; June 28, 2003/LT5024034000317910

Post-Fire Landsat Date/Scene ID:

Landsat 5; July 6, 2006/LT5024034000618710

Output Dataset Projection: UTM

UTM Zone: 15

Datum Name: NAD83

Spheroid Name: GRS80

Image subset Corner Coordinate (center of upper left pixel, projection meters)

ULX: 643380      LRX: 691830

ULY: 4117470      LRY: 4073970

Image subset size:

#Rows: 1451

#Columns: 1616

Pixel size: 30 meters

Bounding Box:

North Lat: 37 11 20 N

South Lat: 36 47 50 N

East Long: 90 50 39 W

West Long: 91 23 19 W

Latitude and Longitude within Fire Perimeter:

Chilton: Lat: 36 55 36 N Long: 90 59 43 W

Chilton South: Lat: 36 55 06 N Long: 90 58 41 W

Stegall Mountain: Lat: 37 04 53 N Long: 91 12 17 W

Pole Cat Hollow (Mark Twain): Lat: 36 53 13 N Long: 91 10 34 W

Fire Perimeter: Fire perimeters for Chilton, Chilton South and Stegall Mountain were provided by Ozark National Scenic Riverways. Fire perimeter for Pole Cat Hollow (Mark Twain National Forest) was manually digitized from Landsat imagery.

For further information on NLAPS and Landsat TM data, please refer to the metadata documentation found on the USGS Clearinghouse website at:  
<http://www.fgdc.gov/clearinghouse/clearinghouse.html>

Product List:

poca06b\_pretm.tif

Pre-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

poca06b\_postm.tif

Post-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

chil06b\_dnbr

chso06b\_dnbr

stmo06b\_dnbr

poca06b\_dnbr

Differenced Normalized Burn Ratio (DNBR) (ArcInfo GRID)

chil06b\_pi

chso06b\_pi

stmo06b\_pi

poca06b\_pi

Fire Perimeter (shape file)

poca06b\_hist.xls

DNBR pixel count within the fire perimeter (excel file)

d243406030706

Full Scene DNBR (ArcInfo GRID)

Time\_Period\_of\_Content:

Time\_Period\_Information:

Multiple\_Dates/Times:

Single\_Date/Time:

Calendar\_Date: 20030628 (pre-fire image)

Single\_Date/Time:

Calendar\_Date: 20060404 (date Chilton fire began)

Single\_Date/Time:

Calendar\_Date: 20060404 (date Chilton South fire began)

Single\_Date/Time:

Calendar\_Date: 20060228 (date Stegall Mountain fire began)

Single\_Date/Time:

Calendar\_Date: 20060303 (date Pole Cat Hollow fire began)

Single\_Date/Time:

Calendar\_Date: 20060706 (post-fire image)

Currentness\_Reference: ground condition

Status:

Progress: Complete

Maintenance\_and\_Update\_Frequency: as needed

Spatial\_Domain:

Bounding\_Coordinates:

West\_Bounding\_Coordinate: -91.23.19

East\_Bounding\_Coordinate: -90.50.39

North\_Bounding\_Coordinate: 37.11.20

South\_Bounding\_Coordinate: 36.47.50

Keywords:

Theme:

Theme\_Keyword\_Thesaurus: none

Theme\_Keyword: burn mapping

Theme\_Keyword: imagery

Theme\_Keyword: fire

Theme\_Keyword: Landsat

Theme\_Keyword: National Park Service

Place:

Place\_Keyword\_Thesaurus: none

Place\_Keyword: Ozark National Scenic Riverways

Place\_Keyword: Mark Twain National Forest

Place\_Keyword: Chilton

Place\_Keyword: Chilton South

Place\_Keyword: Stegall Mountain

Place\_Keyword: Pole Cat Hollow

Place\_Keyword: Missouri

Access\_Constraints: FTP data sets are available to any user.

Use\_Constraints: There are no restrictions on use, except for reasonable and proper acknowledgement of information sources.

Point\_of\_Contact:

Contact\_Information:

+001 605-594-6151 or (USA) 800-252-4547

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position: CSR

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_Address:

Address\_Type: physical and mailing address

Address: 47914 252nd Street

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Data\_Set\_Credit: USGS and NASA

Native\_Data\_Set\_Environment: Oracle, ERDAS Imagine, & ArcInfo

Data\_Quality\_Information:

Attribute\_Accuracy:

Attribute\_Accuracy\_Report:

Three on-board calibrators (two solar, one internal) provide an absolute accuracy of 5 percent, excluding band 6.

Logical\_Consistency\_Report:

These Landsat data are collected from a nominal altitude of 705 kilometers

in a near-polar, near-circular, sun-synchronous orbit at an inclination of 98.2 degrees, imaging the same 183-km swath of Earth's surface every 16 days.

The pixels representing the bands for the image are in the data set only once.

Completeness\_Report: Fire perimeter was automated, (seed value 425, distance 325) with manual edits.

Positional\_Accuracy:

Horizontal\_Positional\_Accuracy:

Horizontal\_Positional\_Accuracy\_Report:

Energy reflected from Earth's surface passes through a whisk-broom scanning system and all-reflective optics before being collected by the solid-state detectors at the focal plane.

Lineage:

Process\_Step:

Process\_Description:

These data products are derived from Landsat Thematic Mapper data.

A pre-fire scene and a post-fire scene are analyzed to create a Differenced Normalized Burn Ratio (DNBR) image. The DNBR image portrays the variations of burn severity within the fire.

The Landsat images are terrain corrected and geometrically rectified to an Albers Conical Equal Area map projection using the National Landsat Archive Production System (NLAPS). The images are further processed to convert bands 1-5 and 7 to at-satellite-reflectance. The Normalized Burn Ratio (NBR) is computed for each date of imagery using the following formula:

$$(\text{Band 4} - \text{Band 7}) / (\text{Band 4} + \text{Band 7}) = \text{NBR}$$

The differenced NBR is computed by subtracting the post-fire NBR from the pre-fire NBR:

$$\text{PreNBR} - \text{PostNBR} = \text{DNBR}$$

Higher DNBR values are correlated with more severe burns. The DNBR image is evaluated to determine the threshold value between burned and unburned areas. The perimeter of the fire is delineated using the DNBR image. The DNBR image, the pre-fire and post-fire TM images, and a fire perimeter vector file are provided in digital format in the map projection used by the National Park Service.

Source\_Used\_Citation\_Abbreviation: TM

Process\_Date: 20060701

Source\_Produced\_Citation\_Abbreviation: DNBR

Cloud\_Cover: 10

Distribution\_Information:

Distributor:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

USGS EROS

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605 594-6933  
Contact\_Facsimile\_Telephone: +001 605 594-6589  
Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov  
Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT  
Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Distribution\_Liability:

No warranty expressed or implied is made by the USGS regarding the use of the data, nor does the act of distribution constitute any such warranty.

Standard\_Order\_Process:

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: Geo-TIFF  
Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: DNBR ArcInfo GRID

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: shape file  
Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Fees: No charge

Ordering\_Instructions: <http://edc2.usgs.gov/fsp/severity/help.asp#ordering>

Turnaround: same day

Metadata\_Reference\_Information:

Metadata\_Date: 20060720

Metadata\_Contact:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization:

USGS EROS  
Science & Applications Branch

Contact\_Position:

Principal Scientist  
Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street  
USGS EROS

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Metadata\_Standard\_Name: Content Standard for Digital Geospatial Metadata

Metadata\_Standard\_Version: FGDC-STD-001-1998

Metadata\_Access\_Constraints: none

Metadata\_Use\_Constraints: none